



Docket No.: M4065.0696/P696
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
John T. Moore

Allowed: August 8, 2003

Application No.: 09/921,518

Confirmation No.: 6082

Filed: August 1, 2001

Art Unit: 2818

For: METHOD OF FORMING
INTEGRATED CIRCUITRY,
METHOD OF FORMING MEMORY
CIRCUITRY, AND METHOD OF
FORMING RANDOM ACCESS
MEMORY CIRCUITRY (AMENDED)

Examiner: P. Dang

MISCELLANEOUS COMMUNICATION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

This RCE is being filed solely because the previously filed IDS was not acknowledged by the Office by the Issue Fee payment date. A response to a previous request for Complete Notice of Allowance including acknowledgment of the previously filed IDS has not been received. A copy of that Request is enclosed.

Dated: November 6, 2003

Respectfully submitted,

By 

Thomas J. D'Amico, Reg.No. 28,371
Christopher S. Chow, Reg.No. 46,493
DICKSTEIN SHAPIRO MORIN &
OSHINSKY LLP
2101 L Street NW
Washington, DC 20037-1526
(202) 785-9700



Atty Docket No.: M4065.0696/P696 ✓

Inventor: John T. Moore

Application No.: 09/921,518-Conf. #6082 Filing Date: August 1, 2001
Title: METHOD OF FORMING INTEGRATED CIRCUITRY, METHOD OF FORMING
MEMORY CIRCUITRY, AND METHOD OF FORMING RANDOM ACCESS
MEMORY CIRCUITRY (AMENDED)


Documents Filed:
REQUEST TO COMPLETE NOTICE OF ALLOWANCE

Via:
Sender's Initials: TJD/CSC/cv



Date: September 30, 2003

ENC 9-30-03



Docket No.: M4065.0696/P696
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
John T. Moore

Allowed: August 8, 2003

Application No.: 09/921,518

Confirmation No.: 6082

Filed: August 1, 2001

Art Unit: 2818

For: METHOD OF FORMING
INTEGRATED CIRCUITRY,
METHOD OF FORMING MEMORY
CIRCUITRY, AND METHOD OF
FORMING RANDOM ACCESS
MEMORY CIRCUITRY (AMENDED)

Examiner: P. Dang

REQUEST TO COMPLETE NOTICE OF ALLOWANCE

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In reviewing the above-captioned application file upon allowance, Applicant's undersigned has noticed that Applicant's Form PTO-1449, which accompanied an Information Disclosure Statement filed on November 15, 2002, has not yet been acknowledged by the Examiner. The Examiner is therefore kindly requested to return the initialed form to the undersigned as soon as possible.

Dated: September 28, 2003

Respectfully submitted,

By 

Thomas J. D'Amico, Reg.No. 28,371
Christopher S. Chow, Reg.No. 46,493
DICKSTEIN SHAPIRO MORIN &
OSHINSKY LLP
2101 L Street NW
Washington, DC 20037-1526
(202) 785-9700

Atty Docket No.: M4065.696/P696

Inventor: ~~John~~ T. Moore

Application No.: 09/921,518-Conf. #6082 Filing Date: August 1, 2001
Title: METHOD OF FORMING INTEGRATED CIRCUITRY, METHOD OF FORMING
MEMORY CIRCUITRY, AND METHOD OF FORMING NON-VOLATILE
RANDOM ACCESS MEMORY CIRCUITRY

Documents Filed:

Transmittal (1 page)


Information Disclosure Statement (20 pages in
duplicate)

PTO SB/08 (8 pages)

Via: PTO Daily Run

Sender's Initials: TJD/CSC/cdl

Date: November 15, 2002



RAW11/15/02

Please type a plus sign inside this box



PTO/SB/21 (08-00)

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.



TRANSMITTAL FORM

(to be used for all correspondence after initial filing)

| | | | |
|---|-----------------------------|-------------------------------|----------------|
| Application Number | 09/921,518 | | |
| | Filing Dat | August 1, 2001 | |
| | First Named Inventor | John T. Moore | |
| | Group Art Unit | 2818 | |
| | Examiner Name | P. Dang | |
| Total Number of Pages in This Submission | | Attorney Docket Number | M4065.696/P696 |

ENCLOSURES (check all that apply)

| | | |
|---|--|---|
| <input type="checkbox"/> Fee Transmittal Form | <input type="checkbox"/> Assignment Papers (for an Application) | <input type="checkbox"/> After Allowance Communication to Group |
| <input type="checkbox"/> Fee Attached | <input type="checkbox"/> Drawing(s) | <input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences |
| <input type="checkbox"/> Amendment/Reply | <input type="checkbox"/> Licensing-related Papers | <input type="checkbox"/> Appeal Communication to Group (Appeal Notice, Brief, Reply Brief) |
| <input type="checkbox"/> After Final | <input type="checkbox"/> Petition | <input type="checkbox"/> Proprietary Information |
| <input type="checkbox"/> Affidavits/declaration(s) | <input type="checkbox"/> Petition to Convert to a Provisional Application | <input type="checkbox"/> Status Letter |
| <input type="checkbox"/> Extension of Time Request | <input type="checkbox"/> Power of Attorney, Revocation Change of Correspondence Address | <input type="checkbox"/> Other Enclosure(s) (please identify below) |
| <input type="checkbox"/> Express Abandonment Request | <input type="checkbox"/> Terminal Disclaimer | |
| <input checked="" type="checkbox"/> Information Disclosure Statement | <input type="checkbox"/> Request for Refund | |
| <input type="checkbox"/> Certified Copy of Priority Document(s) | <input type="checkbox"/> CD, Number of CD(s) _____ | |
| <input type="checkbox"/> Response to Missing Parts/ Incomplete Application | Remarks | |
| <input type="checkbox"/> Response to Missing Parts under 37 CFR 1.52 or 1.53 | | |

SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT

| | |
|--|---|
| Firm or Individual Name | DICKSTEIN SHAPIRO MORIN & OSHINSKY LLP Thomas J. D'Amico |
| Signature | |
| Date | November 15, 2002 |



Docket No.: M4065.0696/P696
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
John T. Moore

Confirmation No. 6082

Application No.: 09/921,518

Group Art Unit: 2818

Filed: August 1, 2001

Examiner: Phuc T. Dang

For: METHOD OF FORMING INTEGRATED
CIRCUITRY, METHOD OF FORMING
MEMORY CIRCUITRY, AND METHOD
OF FORMING NON-VOLATILE
RANDOM ACCESS MEMORY
CIRCUITRY

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents
Washington, DC 20231

Dear Sir:

Pursuant to 37 C.F.R. § 1.56, the attention of the Patent and Trademark Office is hereby directed to the documents listed on the attached PTO/SB/08. It is respectfully requested that the subject matter of the documents be expressly considered during the prosecution of this application and that the documents be made of record therein and appear among the "References Cited" on any patent to issue from this application. A copy of each document is attached.

A brief explanation of relevance of the non-patent documents listed on form PTO/SB/08 is provided and attached hereto as Appendix A. The brief explanation provided for each document is not tantamount to an admission that a document is "material" or that it qualifies as prior art. The Examiner is respectfully requested to utilize

Appendix A only as a tool by which to better categorize the documents for substantive use in examining the claims of the application.

Documents discussed in Appendix A marked with an asterisk (*) are indicated to be potentially more relevant than others. Such marking is provided only to assist the Examiner; however, the Examiner is requested to thoroughly review all documents cited herein.

In accordance with 37 C.F.R. § 1.97(g), the filing of this Information Disclosure Statement shall not be construed to mean that a search has been made or that no other material information as defined in 37 C.F.R. § 1.56(a) exists. It is submitted that the Information Disclosure Statement is in compliance with 37 C.F.R. § 1.98 and the Examiner is respectfully requested to consider and cite the listed documents.

The Commissioner is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Deposit Account No. 04-1073, under Order No. M4065.0696/P696. A duplicate copy of this paper is enclosed.

Dated: November 15, 2002

Respectfully submitted,

By 

Thomas J. D'Amico

Registration No.: 28,371

Christopher S. Chow

Registration No. 46,493

DICKSTEIN SHAPIRO MORIN &

OSHINSKY LLP

2101 L Street, N.W.

Washington, DC 20037-1526

(202) 785-9700

Attorneys for Applicant

APPENDIX A

Abdel-All, et al., Vacuum 59 (2000) 845-853: published in December, this document generally relates to, inter alia, the electrical properties of $\text{Ge}_5\text{As}_{38}\text{Te}_{57}$ as a function of temperature.

*Adler and Moss, J. Vac. Sci. Technol. 9 (1972) 1182-1189: this document generally relates to, inter alia, two types of electrical/material switching – threshold and memory, in amorphous materials; the effects of temperature, pressure, and frequency on switching; and the physics of threshold voltage and memory.

Adler et al., Ref. Mod. Phys. 50 (1978) 209-220: this document generally relates to, inter alia, threshold switching in amorphous alloys, state (“on” and “off”) characteristics, and glass properties.

Afifi, et al., Appl. Phys. A 55 (1992) 167-169: this document generally relates to, inter alia, SeGe-Sb glasses.

*Afifi, et al., J. Phys. 17 (1986) 335-342: this document generally relates to, inter alia, electrical and thermal conductivity of $\text{Ge}_x\text{Se}_{1-x}$ compositions as a function of temperature. $\text{Ge}_{25}\text{Se}_{75}$ stoichiometry is disclosed.

Alekperova and Gadzhieva, 23 (1987) 137-139: this document generally relates to, inter alia, a characteristic diode state in Ag_2Se compositions upon heating (to 376-400°K).

*Aleksiejunas and Cesnys, Phys. Stat. Sol. (a) 19 (1973) K169-K171: this document generally relates to, inter alia, the subjects of selenium investigation and how Se- Ag_2Se contributes silver ions to a selenium composition.

Angell, Annu. Rev. Phys. Chem. 43 (1992) 693-717: this document generally relates to, inter alia, the presence of ion conductors in solids.

Aniya, Solid State Ionics 136-137 (November 2,2000) 1085-1089: this document generally relates to, inter alia, ion conductor glasses.

Asahara and Izumitani, J. Non-Cryst. Solids 11 (1972) 97-104: this document generally relates to, inter alia, Cu-As-Se glass.

Asokan, et al., Phys. Rev. Lett. 62 (1989) 808-810: this document generally relates to, inter alia, $\text{Ge}_x\text{Se}_{100-x}$ glasses and their transition from semiconductor-like material to metal-like material.

Baranovskii and Cordes, J. Chem. Phys. 111 (1999) 7546-7557: this document generally relates to, inter alia, ionic glasses and conduction (percolation theory).

Belin et al., Sol. St. Ionics 136-137 (November 2,2000) 1025-1029: this document generally relates to, inter alia, conductivity spectra of the glass $0.5\text{Ag}_2\text{S}-0.5\text{GeS}_2$ and the temperature dependency of the conductivity.

Belin, et al., Solid State Ionics 143 (July 2,2001) 445-455: this document generally relates to, inter alia, the electrical properties of $\text{Ag}_7\text{GeSe}_5\text{I}$ – an argyrodite compound.

Benmore and Salmon, Phys. Rev. Lett. 73 (1994) 264-267: this document generally relates to, inter alia, the characteristics of chalcogenide alloys.

Bernede, Thin Solid Films 70 (1980) L1-L4: this document is in the French language and the Applicant has no translation. It is presently understood to generally relate to, inter alia, metal- Ag_2Se -metal sandwich devices.

Bernede, Thin Solid Films 81 (1981) 155-160: this document generally relates to, inter alia, memories of selenium alloys with metal (e.g., Ag) electrodes, where the “on” memory states require constant voltage.

Bernede, Phys. Stat. Sol. (a) 57 (1980) K101-K104: this document generally relates to, inter alia, metal-Ag₂Se-P systems.

Bernede and Abachi, Thin Solid Films 131 (1985) L61-L64: this document generally relates to, inter alia, metal-insulator-metal thin films with electroforming effects; the films have silver, gold and copper electrodes.

*Bernede, et al., Thin Solid Films 97 (1982) 165-171: this document generally relates to, inter alia, Ag₂Se/Se/Metal thin film sandwiches, which were studied by shape of electrodes (e.g., symmetrical or asymmetrical).

Bernede, et al., Phys. Stat. Sol. (a) 74 (1982) 217-224: this document generally relates to, inter alia, switching in Al-Al₂O₃Ag_{2-x}Se_{1+x} devices.

Bondarev and Pikhitsa, Solid State Ionics 70/71 (1994) 72-76: this document generally relates to, inter alia, Ag⁽⁺⁾/RbAg₄I₅ boundary – depletion layer, and dendritic electrodeposition.

*Boolchand, Asian Journal of Physics (2000) 9, 709-72: this document generally relates to, inter alia, Ge_xSe_{1-x} glasses, which have selenium-rich and germanium-rich clusters, and the intrinsically-broken bond characteristics thereof.

*Boolchand and Bresser, Nature 410 (2001) 1070-1073: published April 26, this document generally relates to, inter alia, Ag₂Se as an electrolyte additive to glass, e.g., GeSe₄. Ge₃₀Se₇₀ glass was found not to work well because of Ag₂Se crystallization.

*Boolchand, et al., J. Optoelectronics and Advanced Materials, 3 (September 2001), 703: this document generally relates to, inter alia, a review of Raman tool scattering of chalcogenide glasses. The floppyness and rigidity is observed. Ge_xSe_{1-x} is disclosed, as is a stoichiometry of Ge₂₅Se₇₅.

Boolchand and Grothaus, Eds. Chadi and Harrison, Proc. Int. Conf. Phys, Semicond., 17th (1985) 833-36: this document generally relates to, inter alia, GeSe and GeS glasses and the importance of a broken chemical order therein.

*Boolchand, et al., Properties and Applications of Amorphous Materials, M.F. Thorpe and Tichy, L. (eds.) Kluwer Academic Publishers, the Netherlands, 2001, pp. 97-132: this document generally relates to, inter alia, the prediction of glass rigidity in $\text{Ge}_x\text{Se}_{1-x}$ glass, e.g., $\text{Ge}_{23}\text{Se}_{77}$.

*Boolchand, et al., Diffusion and Defect Data, Vol. 53-54 (1987) 415-420: this document generally relates to, inter alia, thermal annealing of $\text{Ge}_x\text{Se}_{1-x}$ films.

*Boolchand, et al., Phys. Rev. B 25 (1982) 2975-2978: this document generally relates to, inter alia, the examination of GeSe glass having Sn impurities by Mossbauer spectroscopy. Investigations into glass network topology, which has an intrinsically broken bond backbone, suggesting Ge and Se rich clusters.

Boolchand, et al., Sol. State Comm. 45 (1983) 183-185: this document generally relates to, inter alia, $\text{Ge}_x\text{Se}_{1-x}$ and $\text{Ge}_x\text{S}_{1-x}$ glasses.

*Boolchand and Bresser, Dep. Of ECECS, Univ. Cincinnati 45221-0030: this document generally relates to, inter alia, $\text{Ge}_x\text{Se}_{1-x}$ and the relation of glass transition temperature to Ge concentration in backbone. Although the publication date of this reference is not known to the Applicant, it was revised October 28, 1999 and is believed to be publicly available at the University of Cincinnati, Department of Electrical and Computer Engineering and Computer Science.

Bresser, et al., Phys. Rev. Lett. 56 (1986) 2493-2496: this document generally relates to, inter alia, an investigation of c- GeSe_2 structure.

Bresser, et al., J. de Physique 42 (1981) C4-193-C4-196: this document generally relates to, inter alia, the characteristics of GeSe_2 and GeS_2 glasses.

Bresser, et al., Hyperfine Interactions 27 (1986) 389-392: this document generally relates to, inter alia, germanium selenide glasses doped with tellurium.

Cahen, et al., Science 258 (1992) 271-274: this document generally relates to, inter alia, chalcopyrite CuInSe_2 glasses.

Chatterjee, et al., J. Phys. D: Appl. Phys. 27 (1994) 2624-2627: this document generally relates to, inter alia, $\text{As}_x\text{Te}_{100-x-y}\text{Se}_y$ glasses and the current, voltage, and electrical switching behavior. Discloses applicability in read mostly memories.

*Chen and Tai, Appl. Phys. Lett. 37 (1980) 1075-1077: this document generally relates to, inter alia, silver photodoping of $\text{Ge}_x\text{Se}_{1-x}$ and whisker formation (crystalline Ag_2Se).

Chen and Cheng, J. Am. Ceram. Soc. 82 (1999) 2934-2936: this document generally relates to, inter alia, germanium containing chalcogenides doped with Si_3N_4 .

Chen, et al., J. Non-Cryst. Solids 220 (1997) 249-253: this document generally relates to, inter alia, $\text{As}_{10}\text{Ge}_{30}\text{Se}_{60}$ glasses (and the like) doped with Si_3N_4 .

Cohen, et al., J. Non-Cryst. Solids 8-10 (1972) 885-891: this document generally relates to, inter alia, Ge-Te-X glasses as memory devices.

Croitoru, et al., J. Non-Cryst. Solids 8-10 (1972) 781-786: this document generally relates to, inter alia, the physics of conductivity in Ge-containing films.

Dalven and Gill, J. Appl. Phys. 38 (1967) 753-756: this document generally relates to, inter alia, beta- Ag_2Te .

Davis, Search 1 (1970) 152-155: this document generally relates to, inter alia, the subject of amorphous semiconductors as compared to glass.

*Dearnaley, et al., Rep. Prog. Phys. 33 (1970) 1129-1191: this document generally relates to, inter alia, background information about glass and memory.

*Dejus, et al., J. Non-Cryst. Solids 143 (1992) 162-180: this document generally relates to, inter alia, Ag-Ge-Se glass with Ag primarily bonded to Se. The reference discloses glass preparation.

den Boer, Appl. Phys. Lett. 40 (1982) 812-813: this document generally relates to, inter alia, a-Si:H sandwich structures and threshold switching from a low to high conductance.

Drusedau, et al., J. Non-Cryst. Solids 198-200 (1996) 829-832: this document generally relates to, inter alia, work with a-Si:H multilayers optoelectrical properties.

El Bouchairi, et al., Thin Solid Films 110 (1983) 107-113: this document generally relates to, inter alia, $\text{Ag}_{2-x}\text{Se}_{1+x}$ thin film electrical characteristics and metal-like conduction.

El Gharras, et al., J. Non-Cryst. Solids 155 (1993) 171-179: this document generally relates to, inter alia, photoconductivity of amorphous Se and Ge-Se alloy evaporated films, and reduction of photocurrent by increase of Ge content.

*El Ghrandi, et al., Thin Solid Films 218 (1992) 259-273: this document generally relates to, inter alia, GeSe films deposited by PECVD, Ag evaporation deposition onto glass and photodissolution into same, and optical properties are investigated. GeSe stoichiometries of 30/70 and 25/75, respectively, are disclosed.

*El Ghrandi, et al., Phys. Stat. Sol. (a) 123 (1991) 451-460: this document generally relates to, inter alia, dissolution of Ag into $\text{GeSe}_{5.5}$ glass by flash evaporation.

El-kady, Indian J. Phys. 70 A (1996) 507-516: this document generally relates to, inter alia, $\text{Ge}_{21}\text{Se}_{17}\text{Te}_{62}$ glass and memory, switching, and current controlled negative resistance.

Elliott, J. Non-Cryst. Solids 130 (1991) 85-97: this document generally relates to, inter alia, mechanisms of photodissolution of metals (e.g., Ag) in chalcogenides based on ionic and electronic charge carriers.

*Elliott, J. Non-Cryst. Sol. 130 (1991) 1031-1034: this document generally relates to, inter alia, the photodissolution of metals (e.g, Ag) in chalcogenide glasses and the physics thereof.

Elsamanoudy, et al., Vacuum 46 (1995) 701-707: this document generally relates to, inter alia, studies of quaternary chalcogenide films with Te-As-Ge-Si sandwich structures between electrodes.

*El-Zahed and El-Korashy, Thin Solid Films 376 (November 1,2000) 236-240: this document generally relates to, inter alia, $\text{Ge}_{20}\text{Bi}_x\text{Se}_{80-x}$ film analysis regarding conduction and changes from p to n type.

Fadel, Vacuum 44 (1993) 851-855: this document generally relates to, inter alia, a study of the switching and memory characteristics of $\text{Se}_{75}\text{Ge}_{25-x}\text{As}_x$ films.

*Fadel and El-Shair, Vacuum 43 (1992) 253-257: this document generally relates to, inter alia, $\text{Se}_{75}\text{Ge}_7\text{Sb}_{18}$ glass electrical conduction and thermal character.

Feng, et al., Phys. Rev. Lett. 78 (1997) 4422-4425: this document generally relates to, inter alia, germanium selenide and germanium sulfide materials.

*Feng, et al., J. Non-Cryst. Solids 222 (1997) 137-143: this document generally relates to, inter alia, the structural character of $\text{Ge}_x\text{S}_{1-x}$ glass, e.g., hardness and elasticity.

*Fischer-Colbrie, et al., Phys. Rev. B 38 (1988) 12388-12403: this document generally relates to, inter alia, photodiffused Ag-GeSe₂ and the interaction between doped Ag with Se atoms and Ge with Ge atoms.

Fleury, et al., Phys. Stat. Sol. (a) 64 (1981) 311-316: this document generally relates to, inter alia, amorphous selenium films and their conductance.

Fritzsche, J. Non-Cryst. Sol. 6 (1971) 49-71: this document generally relates to, inter alia, background information on chalcogenides as semiconductors.

Fritzsche, Annual Review of Mat. Sci. 2 (1972) 697-744: this document generally relates to, inter alia, background information on amorphous semiconductors.

Gates, et al., J. Am. Chem. Soc. (2001): this document generally relates to, inter alia, creating Ag₂Se nanowires by chemical reaction.

Gosain, et al., Jap. J. Appl. Phys. 28 (1989) 1013-1018: this document generally relates to, inter alia, germanium telluride glasses sandwiched in electrodes and the physics thereof.

*Guin et al., J. Non-Cryst. Sol. 298 (March 28, 2002) 260-269: this document generally relates to, inter alia, germanium selenide (GeSe) glass with low hardness, the mechanical properties of which are investigated. Stoichiometries of the glass are disclosed as being, inter alia, 10/90, 20/80, and 30/70, respectively.

*Guin et al., J. Am. Ceram. Soc. 85 (June 2002) 1545-1552: this document generally relates to, inter alia, germanium selenide glasses and a study of the hardness properties thereof. Glass stoichiometries of 40/60 and 20/80, respectively, are disclosed.

Gupta, J. Non-Cryst. Sol. 3 (1970) 148-154: this document generally relates to, inter alia, switching in chalcogenides.

Haberland and Stiegler, J. Non-Cryst. Solids 8-10 (1972) 408-414: this document generally relates to, inter alia, glasses containing Te, As, Ge, and Si, and pulse sequence and time factors in switching.

Haifz, et al., J. Apply. Phys. 54 (1983) 1950-1954: this document generally relates to, inter alia, As-Se-Cu glasses.

Hajto, et al., Int. J. Electronics 73 (1992) 911-913: this document generally relates to, inter alia, metal/a-Si:H/metal devices.

Hajto, et al., J. Non-Cryst. Solids 266-269 (May 1,2000) 1058-1061: this document generally relates to, inter alia, a-Si:H ion conductors, polarity-dependant digital and analogue memory, and dependency on contact metals.

Hajto, et al., J. Non-Cryst. Solids 198-200 (1996) 825-828: this document generally relates to, inter alia, electroformed V/a-Si:H/Cr devices.

Hajto, et al., Phil. Mag. B 63 (1991) 349-369: this document generally relates to, inter alia, p+ type amorphous Si memory structures with polarity dependent analogue switching.

Hayashi, et al., Japan. J. Appl. Phys. 13 (1974) 1163-1164: this document generally relates to, inter alia, Au-CdS(CdSe)-Au systems and metal-Se-Sn-SnO₂ systems.

*Hegab, et al., Vacuum 45 (1994) 459-462: this document generally relates to, inter alia, Ge₂₀M₇₅Sb₁₈ glass electrical conduction and thermal character.

Hirose and Hirose, J. Appl. Phys. 47 (1976) 2767-2772: this document generally relates to, inter alia, Ag photodoped As_2S_3 , polarized switching, and dendrite formation.

Hong and Speyer, J. Non-Cryst. Solids 116 (1990) 191-200: this document generally relates to, inter alia, Cd-Ge-As glass with Ag contacts.

Hosokawa, J. Optoelectronics and Advanced Materials 3 (2001) 199-214: this document generally relates to, inter alia, x-ray scattering experiments on glassy $\text{Ge}_x\text{Se}_{1-x}$.

Hu, et al., J. Non-Cryst. Solids 227-230 (1998) 1187-1191: this document generally relates to, inter alia, a-Si:H with Cr and V electrodes.

Hu, et al., Phil. Mag. B. 74 (1996) 37-50: this document generally relates to, inter alia, a-Si:H glasses doped with Cr and analogue memory.

Hu, et al., Phil. Mag. B 80 (January 1, 2000) 29-43: this document generally relates to, inter alia, a-Si:H films doped with Cr-p+.

Iizima, et al., Solid State Comm. 8 (1970) 153-155: this document generally relates to, inter alia, switching and memory effects in As-Te-I^{1,2} and As-Te-Ge-Si³ glass systems. Thermal breakdown is proposed switching effect.

Ishikawa and Kikuchi, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066: this document generally relates to, inter alia, Ge_2S_2 films with Ag photodissolved therein.

*Iyetomi, et al., J. Non-Cryst. Solids 262 (February 2000) 135-142: this document generally relates to, inter alia, Ag/Ge/Se glasses as a composite of GeSe_2 and Ag_2Se (a fast ion conductor) and polarizability of Se ions.

Jones and Collins, Thin Solid Films 40 (1977) L15-L18: this document generally relates to, inter alia, switching in Se films and switching back with reverse pulse.

Joullie and Marucchi, Phys. Stat. Sol. (a) 13 (1972) K105-K109: this document generally relates to, inter alia, As_2Se_7 glass.

Joullie and Marucchi, Mat. Res. Bull. 8 (1973) 433-442: this document generally relates to, inter alia, As_2Se_5 film conduction and switching.

Kaplan and Adler, J. Non-Cryst. Solids 8-10 (1972) 538-543: this document generally relates to, inter alia, thermal effects on semiconductor switching.

*Kawaguchi, et al., J. Appl. Phys. 79 (1996) 9096-9104: this document generally relates to, inter alia, Ag-rich chalcogenide glass, Ge_3S_7 -Ag and $\text{Ge}_{30}\text{Se}_{70}$ -Ag, max Ag content of 67%, graphs phase diagram, and discloses that Ag works better than Cu.

*Kawaguchi and Masui, Jpn. J. Appl. Phys. 26 (1987) 15-21: this document generally relates to, inter alia, silver photodoping of chalcogenide films, e.g., $\text{Ge}_{30}\text{Se}_{70}$ films.

*Kawasaki, et al., Solid State Ionics 123 (1999) 259-269: this document generally relates to, inter alia, the electrical properties of $\text{Ag}_x(\text{GeSe}_3)_{1-x}$, conductivity EMF measurements, glass composition, X-ray diffraction, T_g and T_c , Ag ion transport, and glass structure.

*Kluge, et al., J. Non-Cryst. Solids 124 (1990) 186-193: this document generally relates to, inter alia, photodiffusion of silver into $\text{Ge}_x\text{Se}_{100-x}$ layers, how this differs from ion beam induced diffusion, $\text{Ge}_{30}\text{Se}_{70}$ stoichiometry, Ag_2Se , and percolation threshold.

*Kolobov, J. Non-Cryst. Solids 198-200 (1996) 728-731: this document generally relates to, inter alia, p-type conductive chalcogenides, materials, and physics thereof.

*Kolobov, J. Non-Cryst. Solids 137-138 (1991) 1027-1030: this document generally relates to, inter alia, doped and undoped glass layers as a p-n junction.

Korkinova and Andreichin, J. Non-Cryst. Solids 194 (1996) 256-259: this document generally relates to, inter alia, polarization of chalcogenide glass as depending on the materials used for electrode contacts.

*Kotkata, et al., Thin Solid Films 240 (1994) 143-146: this document generally relates to, inter alia, GeSe glass switching and film thickness, memory, current filament, chemical and mechanical switching properties, and discloses that heat treatment or aging improves switching.

Lakshminarayan, et al., J. Instn. Electronics & Telecom. Engrs. 27 (1981) 16-19: this document generally relates to, inter alia, tellurium-containing chalcogenide glasses.

Lal and Goyal, Indian Journal of Pure & Appl. Phys. 29 (1991) 303-304: this document generally relates to, inter alia, theory on chalcogenide switching.

*Leimer et al., Phys. Stat. Sol. (a) 29 (1975) K129-K132: this document generally relates to, inter alia, germanium selenide glass polarization behavior, e.g., inductive and capacitive components.

*Leung, et al., Appl. Phys. Lett. 46 (1985) 543-545: this document generally relates to, inter alia, photoinduced diffusion of Ag into $\text{Ge}_x\text{Se}_{1-x}$ and techniques for same.

Matsushita, et al., Jap. J. Appl. Phys. 11 (1972) 1657-1662: this document generally relates to, inter alia, Se-SnO₂ film switching and reversibility.

Matsushita, et al., Jpn. J. Appl. Phys. 11 (1972) 606: this document generally relates to, inter alia, polarized memory effect in Se films.

Mazurier, et al., Journal de Physique IV 2 (1992) C2-185 - C2-188: this document generally relates to, inter alia, Te-based glasses.

Messoussi, et al., Mat. Chem. And Phys. 28 (1991) 253-258: this document generally relates to, inter alia, selenium films and Bi electrodes.

*Mitkova and Boolchand, J. Non-Cryst. Solids 240 (1998) 1-21: this document generally relates to, inter alia, the analysis of Group IV and V chalcogenides.

*Mitkova and Kozicki, J. Non-Cryst. Solids 299-302 (May 14, 2002) 1023-1027: this document generally relates to, inter alia, photodissolution of Ag into Se-rich Ge-Se glasses for use in memory devices. The information disclosed in this reference was available to and known by the inventors prior to the filing of the application.

*Mitkova, et al., Phys. Rev. Lett. 83 (1999) 3848-3851: this document generally relates to, inter alia, Ag doped chalcogenides, $\text{Ge}_{20}\text{Se}_{80}$ stoichiometry is disclosed, Se rich glasses, Ge rich glasses, stoichiometric glasses, and presence of Ag_2Se .

*Miyatani, J. Phys. Soc. Japan 34 (1973) 423-432: this document generally relates to, inter alia, electrical and ionic properties of solid solutions (e.g., doped glass), polarization, conductivity, Ag_2Se and Cu_2Se .

*Miyatani, J. Phys. Soc. Japan 14 (1959) 996-1002: this document generally relates to, inter alia, Ag_2Te and Ag_2Se ion conduction and the chemical potential of silver ions.

Mott, J. Non-Cryst. Sol. 1 (1968) 1-17: this document generally relates to, inter alia, glasses with vanadium or iron.

*Nakayama, et al., Jpn. J. Appl. Phys. 32 (1993) 564-569: this document generally relates to, inter alia, electrically erasable nonvolatile memories in chalcogenide films of $\text{As}_x\text{Sb}_y\text{Te}_z$, flash evaporative deposition techniques, a high set-voltage compared to read-voltage, V_c creates a "filament," and refresh-type pulse.

*Nakayama, et al., Jpn. J. Appl. Phys. 39 (November 15, 2000) 6157-6161: this document generally relates to, inter alia, phase transition random access memory (PRAM) made of chalcogenide glass.

*Nang et al., Jap. J. App. Phys. 15 (1976) 849-853: this document generally relates to, inter alia, $\text{Ge}_x\text{Se}_{1-x}$ electrical and optical properties; it also discloses $\text{Ge}_{.80}\text{Se}_{.20}$, $\text{Ge}_{.60}\text{Se}_{.40}$, and $\text{Ge}_{.50}\text{Se}_{.50}$.

Narayanan, et al., Phys. Rev. B 54 (1996) 4413-4415: this document generally relates to, inter alia, chalcogenide glass switching as thermally originated.

*Neale and Aseltine, , IEEE Transactions On Electron Dev. Ed-20 (1973) 195-209: this document generally relates to, inter alia, read mostly memories with chalcogenides (e.g., Ge, Te), also discloses "floating gate," and material combinations including Ge and Se.

Ovshinsky and Fritzsche, Metallurgical Transactions 2 (1971) 641-645: this document generally relates to, inter alia, reversible changes in amorphous Si, Be, and B using a laser to write and erase.

Ovshinsky, Phys. Rev. Lett. 21 (1968) 1450-1453: this document generally relates to, inter alia, rapid and reversible resistive switching by electric field in amorphous semiconductors.

Owen, et al., IEE Proc. 129 (1982) 51-54: this document generally relates to, inter alia, a-Si:H, gold or aluminum dots and silver paste.

Owen, et al., Phil. Mag. B 52 (1985) 347-362: this document generally relates to, inter alia, photoinduced chalcogenide effects (As_2S_3) both reversible and irreversible.

*Owen, et al., Int. J. Electronics 73 (1992) 897-906: this document generally relates to, inter alia, threshold and memory switching a-Si:H ion conductor, polarity-dependant digital memory, analogue memory, and device operation dependency on metal contacts.

Pearson and Miller, App. Phys. Lett. 14 (1969) 280-282: this document generally relates to, inter alia, glass diodes.

*Pinto and Ramanathan, Appl. Phys. Lett. 19 (1971) 221-223: this document generally relates to, inter alia, electric field inducement of glass switching "filamentary" path.

Popescu, Solid-State Electronics 18 (1975) 671-681: this document generally relates to, inter alia, the physics of chalcogenide switching.

Popescu and Croitoru, J. Non-Cryst. Solids 8-10 (1972) 531-537: this document generally relates to, inter alia, switching behavior and thermal instability in chalcogenide glasses.

Popov, et al., Phys. Stat. Sol. (a) 44 (1977) K71-K73: this document generally relates to, inter alia, investigations into threshold and memory switching effects in amorphous selenium with electrodes of Ca, Ni, Ag, and Al.

*Prakash, et al., J. Phys. D: Appl. Phys. 29 (1996) 2004-2008: this document generally relates to, inter alia, switching of $\text{Ge}_{10}\text{As}_{45}\text{Te}_{45}$ glass, study of threshold voltage concept and switch back to off, suitability for read mostly memory.

Rahman and Sivarama, Mat. Sci. Eng. B12 (1992) 219-222: this document generally relates to, inter alia, chalcogenide glass with no exothermic crystallization reaction above T_g being of a threshold-switching type.

*Ramesh, et al., Appl. Phys. A 69 (1999) 421-425: this document generally relates to, inter alia, electrical switching in GeTe with Ag or Cu and thermal character investigations.

Rose, et al., J. Non-Cryst. Solids 115 (1989) 168-170: this document generally relates to, inter alia, a-Si with Cr or V contacts.

Rose et al., Mat. Res. Soc. Symp. Proc. V258 (1992) 1075-1080: this document generally relates to, inter alia, a-Si:H memory.

Schuocker and Rieder, J. Non-Cryst. Solids 29 (1978) 397-407: this document generally relates to, inter alia, As-Te-Ge film sandwiches with Molybdenum electrodes.

Sharma and Singh, Proc. Indian Natn. Sci. Acad. 46, A, (1980) 362-368: this document generally relates to, inter alia, evaporated Se films and their electrical conductivity.

*Sharma, Ind. J. Of Pure and Applied Phys. 35 (1997) 424-427: this document generally relates to, inter alia, n-type Ag_2Se and other material stoichiometries. The device conductivity is analyzed, as is the grain size as a factor in device ability to polarize.

Snell, et al., J. Non-Cryst. Solids 137-138 (1991) 1257-1262: this document generally relates to, inter alia, a-Si:H analogue memory by applying voltages of increasing magnitude.

Snell et al., Mat. Res. Soc. Symp. Proc. V 297 (1993) 1017-1021: this document generally relates to, inter alia, a-Si:H analogue memory.

Steventon, J. Phys. D: Appl. Phys. 8 (1975) L120-L122: this document generally relates to, inter alia, switching in chalcogenides, resistively changes, and formation of microfilaments at switch.

Steventon, J. Non-Cryst. Solids 21 (1976) 319-329: this document generally relates to, inter alia, chalcogenide switching with pulses and multiple pulse resetting.

Stocker, App. Phys. Lett. 15 (1969) 55-57: this document generally relates to, inter alia, switching character of bulk and thin film glasses.

Tanaka, Mod. Phys. Lett. B 4 (1990) 1373-1377: this document generally relates to, inter alia, photodoping mechanism and Ag/As₃₀Se₇₀.

Tanaka, et al., Solid State Comm. 8 (1970) 387-389: this document generally relates to, inter alia, thermal effect on switching in chalcogenides and As-Te-(Ge or Si).

*Thornburg, J. Elect. Mat. 2 (1973) 3-15: this document generally relates to, inter alia, division of chalcogenides into stoichiometric compounds with no changes upon crystallization, stoichiometric compounds with changes upon crystallization, and non-stoichiometric which phase separate on crystallization, As₂Se, and filament growth as a function of bias applied.

Thornburg, J. Non-Cryst. Solids 11 (1972) 113-120: this document generally relates to, inter alia, As₂Se₃ glass switching sandwich structure.

*Thornburg and White, (1972) 4609-4612: this document generally relates to, inter alia, precipitation of As particles out of As₂Se₃ glass and the alignment in a filament.

*Tichy and Ticha, J. Non-Cryst. Solids 261 (2000) 277-281: published in January, this document generally relates to, inter alia, Ge_xSe_{1-x} glass forming ability and 20/80 respective stoichiometry.

Titus, et al., Phys. Rev. B 48 (1993) 14650-14652: this document generally relates to, inter alia, percolation and chemical thresholds of chalcogenide glass.

*Tranchant, et al., Proceedings of the 6th Riso International Symposium. 9-13 September 1985: this document generally relates to, inter alia, GeSe glass with Ag, silver photodissolution, and generation of Ag_2Se .

Tregouet and Bernede, Thin Solid Films 57 (1979) 49-54: this document generally relates to, inter alia, Ag_2Te glass characteristics.

Uemura, et al., J. Non-Cryst. Solids 117-118 (1990) 219-221: this document generally relates to, inter alia, Ge_4Se_6 raman measurements and glass structure.

*Uttecht, et al., J. Non-Cryst. Solids 2 (1970) 358-370: this document generally relates to, inter alia, As-Te-Ge glass, V_r switching, filament formation, and reversal of voltage causes filament to grown in opposite direction.

Viger, et al., J. Non-Cryst. Solids 33 (1976) 267-272: this document generally relates to, inter alia, Se films dark-conductivity and photoconductivity.

*Vodenicharov, et al., Mat. Chem. and Phys. 21 (1989) 447-454: this document generally relates to, inter alia, M-GeSe-M films investigation for dc conductivity.

Wang, et al., IEEE Electron Dev. Lett. 13 (1992) 471-472: this document generally relates to, inter alia, antifuses.

Weirauch, App. Phys. Lett. 16 (1970) 72-73: this document generally relates to, inter alia, chalcogenide device resistively changes in high electric fields.

*West, et al., J. Electrochem. Soc. 145 (1998) 2971-2974: this document generally relates to, inter alia, $\text{Ag}/\text{As}_{24}\text{S}_{36}\text{Ag}_{40}/\text{Ag}$ systems and Ag transport.

Zhang, et al., J. Non-Cryst. Solids 151 (1992) 149-154: this document generally relates to, inter alia, T_g investigation for glasses.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Sheet 1 of 8

Complete if Known

| | |
|------------------------|-----------------|
| Application Number | 09/921,518 |
| Filing Date | August 1, 2001 |
| First Named Inventor | John T. Moore |
| Art Unit | 2818 |
| Examiner Name | Phuc T. Dang |
| Attorney Docket Number | M4065.0696/P696 |

U.S. PATENT DOCUMENTS

| Examiner Initials* | Cite No. ¹ | Document Number | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear |
|--------------------|-----------------------|--|--------------------------------|--|--|
| | | Number-Kind Code ² (if known) | | | |
| | AA | 5,761,115 | 06/02/1998 | Kozicki et al. | |
| | AB | 6,084,796 | 07/04/2000 | Kozicki et al. | |
| | AC | 5,914,893 | 06/22/1999 | Kozicki et al. | |
| | AD | 5,896,312 | 04/20/1999 | Kozicki et al. | |
| | AE | 6,388,324 | 05/14/2002 | Kozicki et al. | |
| | AF | US 2002/0000666 | 01/03/2002 | Kozicki et al. | |
| | AG | 5,500,532 | 03/19/1996 | Kozicki et al. | |

FOREIGN PATENT DOCUMENTS

| Examiner Initials* | Cite No. ¹ | Foreign Patent Document | Publication Date MM-DD-YYYY | Name of Patentee or Applicant of Cited Document | Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear | T ³ |
|--------------------|-----------------------|---|--------------------------------|--|--|----------------|
| | | Country Code ⁴ -Number ⁴ -Kind Code ⁵ (if known) | | | | |
| | BA | WO 02/21542 | 03/14/2002 | Kozicki et al. | | |
| | BB | WO 00/48196 | 08/17/2000 | Kozicki et al. | | |
| | BC | WO 97/48032 | 12/18/1997 | Kozicki et al. | | |
| | BD | WO 99/28914 | 06/10/1999 | Kozicki et al. | | |

| | | | |
|--------------------|--|-----------------|--|
| Examiner Signature | | Date Considered | |
|--------------------|--|-----------------|--|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

¹ Applicant's unique citation designation number (optional). ² See attached Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.



PTO/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U. S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

| | | | |
|---|---|--------------------------|-----------------|
| Substitute for form 1449B/PTO | | Complete If Known | |
| | | Application Number | 09/921,518 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary) | | Filing Date | August 1, 2001 |
| | | First Named Inventor | John T. Moore |
| | | Group Art Unit | 2818 |
| | | Examiner Name | Phuc T. Dang |
| | | Attorney Docket Number | M4065.0696/P696 |
| Sheet | 2 | 8 | |

| OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS | | | |
|---|----------|--|----------------|
| Examiner Initials | Cite No. | Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published. | T ² |
| | CA | Abdel-All, A.; Elshafie, A.; Elhawary, M.M., DC electric-field effect in bulk and thin-film Ge ₅ As ₃₈ Te ₅₇ chalcogenide glass, Vacuum 59 (2000) 845-853. | |
| | CB | Adler, D.; Moss, S.C., Amorphous memories and bistable switches, J. Vac. Sci. Technol. 9 (1972) 1182-1189. | |
| | CC | Adler, D.; Henisch, H.K.; Mott, S.N., The mechanism of threshold switching in amorphous alloys, Rev. Mod. Phys. 50 (1978) 209-220. | |
| | CD | Affifi, M.A.; Labib, H.H.; El-Fazary, M.H.; Fadel, M., Electrical and thermal properties of chalcogenide glass system Se ₇₅ Ge ₂₅ -xSbx, Appl. Phys. A 55 (1992) 167-169. | |
| | CE | Affifi, M.A.; Labib, H.H.; Fouad, S.S.; El-Shazly, A.A., Electrical & thermal conductivity of the amorphous semiconductor GexSe _{1-x} , Egypt, J. Phys. 17 (1986) 335-342. | |
| | CF | Alekperova, Sh.M.; Gadzhieva, G.S., Current-Voltage characteristics of Ag ₂ Se single crystal near the phase transition, Inorganic Materials 23 (1987) 137-139. | |
| | CG | Aleksiejunas, A.; Cesnys, A., Switching phenomenon and memory effect in thin-film heterojunction of polycrystalline selenium-silver selenide, Phys. Stat. Sol. (a) 19 (1973) K169-K171. | |
| | CH | Angell, C.A., Mobile ions in amorphous solids, Annu. Rev. Phys. Chem. 43 (1992) 693-717. | |
| | CI | Aniya, M., Average electronegativity, medium-range-order, and ionic conductivity in superionic glasses, Solid state Ionics 136-137 (2000) 1085-1089. | |
| | CJ | Asahara, Y.; Izumitani, T., Voltage controlled switching in Cu-As-Se compositions, J. Non-Cryst. Solids 11 (1972) 97-104. | |
| | CK | Asokan, S.; Prasad, M.V.N.; Parthasarathy, G.; Gopal, E.S.R., Mechanical and chemical thresholds in IV-VI chalcogenide glasses, Phys. Rev. Lett. 62 (1989) 808-810 | |
| | CL | Baranovskii, S.D.; Cordes, H., On the conduction mechanism in ionic glasses, J. Chem. Phys. 111 (1999) 7546-7557. | |
| | CM | Belin, R.; Taillades, G.; Pradel, A.; Ribes, M., Ion dynamics in superionic chalcogenide glasses: complete conductivity spectra, Solid state Ionics 136-137 (2000) 1025-1029. | |
| | CN | Belin, R.; Zerouale, A.; Pradel, A.; Ribes, M., Ion dynamics in the argyrodite compound Ag ₇ GeSe ₅ I: non-Arrhenius behavior and complete conductivity spectra, Solid State Ionics 143 (2001) 445-455. | |
| | CO | Benmore, C.J.; Salmon, P.S., Structure of fast ion conducting and semiconducting glassy chalcogenide alloys, Phys. Rev. Lett. 73 (1994) 264-267. | |
| | CP | Bernede, J.C., Influence du metal des electrodes sur les caracteristiques courant-tension des structures M-Ag ₂ Se-M, Thin solid films 70 (1980) L1-L4. | |
| | CQ | Bernede, J.C., Polarized memory switching in MIS thin films, Thin Solid Films 81 (1981) 155-160. | |
| | CR | Bernede, J.C., Switching and silver movements in Ag ₂ Se thin films, Phys. Stat. Sol. (a) 57 (1980) K101-K104. | |
| | CS | Bernede, J.C.; Abachi, T., Differential negative resistance in metal/insulator/metal structures with an upper bilayer electrode, Thin solid films 131 (1985) L61-L64. | |
| | CT | Bernede, J.C.; Conan, A.; Fousenan't, E.; El Bouchairi, B.; Goureaux, G., Polarized memory switching effects in Ag ₂ Se/Se/M thin film sandwiches, Thin solid films 97 (1982) 165-171. | |
| | CU | Bernede, J.C.; Khelil, A.; Kettaf, M.; Conan, A., Transition from S- to N-type differential negative resistance in Al-Al ₂ O ₃ -Ag ₂ -xSe _{1+x} thin film structures, Phys. Stat. Sol. (a) 74 (1982) 217-224. | |
| | CV | Bondarev, V.N.; Pikhitsa, P.V., A dendrite model of current instability in RbAg ₄ I ₅ , Solid State Ionics 70/71 (1994) 72-76. | |
| | CW | Boolchand, P., Th maximum in glass transition temperature (T _g) near x=1/3 in GexSe _{1-x} | |



PTO/SB/08B (10-01)

Approved for use through 10/31/2002 OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | |
|---|---|--------------------------|------------------------|-----------------|
| Substitute for form 1449B/PTO | | Complete If Known | | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary) | | Application Number | 09/921,518 | |
| | | Filing Date | August 1, 2001 | |
| | | First Named Inventor | John T. Moore | |
| | | Group Art Unit | 2818 | |
| | | Examiner Name | Phuc T. Dang | |
| Sheet | 3 | 8 | Attorney Docket Number | M4065.0696/P696 |

| | | | |
|--|-----|--|--|
| | | Glasses, Asian Journal of Physics (2000) 9, 709-72. | |
| | CX | Boolchand, P.; Bresser, W.J., Mobile silver ions and glass formation in solid electrolytes, Nature 410 (2001) 1070-1073. | |
| | CY | Boolchand, P.; Georgiev, D.G.; Goodman, B., Discovery of the Intermediate Phase in Chalcogenide Glasses, J. Optoelectronics and Advanced Materials, 3 (2001), 703 | |
| | CZ | Boolchand, P.; Selvanathan, D.; Wang, Y.; Georgiev, D.G.; Bresser, W.J., Onset of rigidity in steps in chalcogenide glasses, Properties and Applications of Amorphous Materials, M.F. Thorpe and Tichy, L. (eds.) Kluwer Academic Publishers, the Netherlands, 2001, pp. 97-132. | |
| | CA1 | Boolchand, P.; Enzweiler, R.N.; Tenhover, M., Structural ordering of evaporated amorphous chalcogenide alloy films: role of thermal annealing, Diffusion and Defect Data Vol. 53-54 (1987) 415-420. | |
| | CB1 | Boolchand, P.; Grothaus, J.; Bresser, W.J.; Suranyi, P., Structural origin of broken chemical order in a GeSe2 glass, Phys. Rev. B 25 (1982) 2975-2978. | |
| | CC1 | Boolchand, P.; Grothaus, J.; Phillips, J.C., Broken chemical order and phase separation in GexSe1-x glasses, Solid state comm. 45 (1983) 183-185. | |
| | CD1 | Boolchand, P., Bresser, W.J., Compositional trends in glass transition temperature (Tg), network connectivity and nanoscale chemical phase separation in chalcogenides, Dept. of ECECS, Univ. Cincinnati (October 28, 1999) 45221-0030. | |
| | CE1 | Boolchand, P.; Grothaus, J., Molecular Structure of Melt-Quenched GeSe2 and GeS2 glasses compared, Proc. Int. Conf. Phys. Semicond. (Eds. Chadi and Harrison) 17 th (1985) 833-36. | |
| | CF1 | Bresser, W.; Boolchand, P.; Suranyi, P., Rigidity percolation and molecular clustering in network glasses, Phys. Rev. Lett. 56 (1986) 2493-2496. | |
| | CG1 | Bresser, W.J.; Boolchand, P.; Suranyi, P.; de Neufville, J.P., Intrinsically broken chalcogen chemical order in stoichiometric glasses, Journal de Physique 42 (1981) C4-193-C4-196. | |
| | CH1 | Bresser, W.J.; Boolchand, P.; Suranyi, P.; Hernandez, J.G., Molecular phase separation and cluster size in GeSe2 glass, Hyperfine Interactions 27 (1986) 389-392. | |
| | CI1 | Cahen, D.; Gilet, J.-M.; Schmitz, C.; Chernyak, L.; Gartsman, K.; Jakubowicz, A., Room-Temperature, electric field induced creation of stable devices in CuInSe2 Crystals, Science 258 (1992) 271-274. | |
| | CJ1 | Chatterjee, R.; Asokan, S.; Titus, S.S.K., Current-controlled negative-resistance behavior and memory switching in bulk As-Te-Se glasses, J. Phys. D: Appl. Phys. 27 (1994) 2624-2627. | |
| | CK1 | Chen, C.H.; Tai, K.L., Whisker growth induced by Ag photodoping in glassy GexSe1-x films, Appl. Phys. Lett. 37 (1980) 1075-1077. | |
| | CL1 | Chen, G.; Cheng, J., Role of nitrogen in the crystallization of silicon nitride-doped chalcogenide glasses, J. Am. Ceram. Soc. 82 (1999) 2934-2936. | |
| | CM1 | Chen, G.; Cheng, J.; Chen, W., Effect of Si3N4 on chemical durability of chalcogenide glass, J. Non-Cryst. Solids 220 (1997) 249-253. | |
| | CN1 | Cohen, M.H.; Neale, R.G.; Paskin, A., A model for an amorphous semiconductor memory device, J. Non-Cryst. Solids 8-10 (1972) 885-891. | |
| | CO1 | Croitoru, N.; Lazarescu, M.; Popescu, C.; Telnic, M.; and Vescan, L., Ohmic and non-ohmic conduction in some amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 781-786. | |
| | CP1 | Dalven, R.; Gill, R., Electrical properties of beta-Ag2Te and beta-Ag2Se from 4.2 to 300K, J. Appl. Phys. 38 (1967) 753-756. | |
| | CQ1 | Davis, E.A., Semiconductors without form, Search 1 (1970) 152-155. | |
| | CR1 | Dearnaley, G.; Stoneham, A.M.; Morgan, D.V., Electrical phenomena in amorphous oxide films, Rep. Prog. Phys. 33 (1970) 1129-1191. | |
| | CS1 | Dejus, R.J.; Susman, S.; Volin, K.J.; Montague, D.G.; Price, D.L., Structure of Vitreous Ag-Ge-Se, J. Non-Cryst. Solids 143 (1992) 162-180. | |
| | CT1 | den Boer, W., Threshold switching in hydrogenated amorphous silicon, Appl. Phys. Lett. 40 (1982) 812-813. | |
| | CU1 | Drusedau, T.P.; Panckow, A.N.; Klabunde, F., The hydrogenated amorphous | |



PTO/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U. S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

| | | | |
|---|---|--------------------------|-----------------|
| Substitute for form 1449B/PTO | | Complete If Known | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary) | | Application Number | 09/921,518 |
| | | Filing Date | August 1, 2001 |
| | | First Named Inventor | John T. Moore |
| | | Group Art Unit | 2818 |
| | | Examiner Name | Phuc T. Dang |
| | | Attorney Docket Number | M4065.0696/P696 |
| Sheet | 4 | 8 | |

| | | | |
|--|-----|---|--|
| | | silicon/nanodisperse metal (SIMAL) system-Films of unique electronic properties, J. Non-Cryst. Solids 198-200 (1996) 829-832. | |
| | CV1 | El Bouchairi, B.; Bernede, J.C.; Burgaud, P., Properties of Ag ₂ -xSe _{1+x/n} -Si diodes, Thin Solid Films 110 (1983) 107-113. | |
| | CW1 | El Gharras, Z.; Bourahla, A.; Vautier, C., Role of photoinduced defects in amorphous GexSe _{1-x} photoconductivity, J. Non-Cryst. Solids 155 (1993) 171-179. | |
| | CX1 | El Ghrandi, R.; Calas, J.; Galibert, G.; Averous, M., Silver photodissolution in amorphous chalcogenide thin films, Thin Solid Films 218 (1992) 259-273. | |
| | CY1 | El Ghrandi, R.; Calas, J.; Galibert, G., Ag dissolution kinetics in amorphous GeSe _{5.5} thin films from "in-situ" resistance measurements vs time, Phys. Stat. Sol. (a) 123 (1991) 451-460. | |
| | CZ1 | El-kady, Y.L., The threshold switching in semiconducting glass Ge ₂₁ Se ₁₇ Te ₆₂ , Indian J. Phys. 70A (1996) 507-516. | |
| | CA2 | Elliott, S.R., A unified mechanism for metal photodissolution in amorphous chalcogenide materials, J. Non-Cryst. Solids 130 (1991) 85-97. | |
| | CB2 | Elliott, S.R., Photodissolution of metals in chalcogenide glasses: A unified mechanism, J. Non-Cryst. Solids 137-138 (1991) 1031-1034. | |
| | CC2 | Elsamanoudy, M.M.; Hegab, N.A.; Fadel, M., Conduction mechanism in the pre-switching state of thin films containing Te As Ge Si, Vacuum 46 (1995) 701-707. | |
| | CD2 | El-Zahed, H.; El-Korashy, A., Influence of composition on the electrical and optical properties of Ge ₂₀ BixSe _{80-x} films, Thin Solid Films 376 (2000) 236-240. | |
| | CE2 | Fadel, M., Switching phenomenon in evaporated Se-Ge-As thin films of amorphous chalcogenide glass, Vacuum 44 (1993) 851-855. | |
| | CF2 | Fadel, M.; El-Shair, H.T., Electrical, thermal and optical properties of Se ₇₅ Ge ₇ Sb ₁₈ , Vacuum 43 (1992) 253-257. | |
| | CG2 | Feng, X.; Bresser, W.J.; Boolchand, P., Direct evidence for stiffness threshold in Chalcogenide glasses, Phys. Rev. Lett. 78 (1997) 4422-4425. | |
| | CH2 | Feng, X.; Bresser, W.J.; Zhang, M.; Goodman, B.; Boolchand, P., Role of network connectivity on the elastic, plastic and thermal behavior of covalent glasses, J. Non-Cryst. Solids 222 (1997) 137-143. | |
| | CI2 | Fischer-Colbrie, A.; Bienenstock, A.; Fuoss, P.H.; Marcus, M.A., Structure and bonding in photodiffused amorphous Ag-GeSe ₂ thin films, Phys. Rev. B 38 (1988) 12388-12403. | |
| | CJ2 | Fleury, G.; Hamou, A.; Viger, C.; Vautier, C., Conductivity and crystallization of amorphous selenium, Phys. Stat. Sol. (a) 64 (1981) 311-316. | |
| | CK2 | Fritzsche, H., Optical and electrical energy gaps in amorphous semiconductors, J. Non-Cryst. Solids 6 (1971) 49-71. | |
| | CL2 | Fritzsche, H., Electronic phenomena in amorphous semiconductors, Annual Review of Materials Science 2 (1972) 697-744. | |
| | CM2 | Gates, B.; Wu, Y.; Yin, Y.; Yang, P.; Xia, Y., Single-crystalline nanowires of Ag ₂ Se can be synthesized by templating against nanowires of trigonal Se, J. Am. Chem. Soc. (2001) currently ASAP. | |
| | CN2 | Gosain, D.P.; Nakamura, M.; Shimizu, T.; Suzuki, M.; Okano, S., Nonvolatile memory based on reversible phase transition phenomena in telluride glasses, Jap. J. Appl. Phys. 28 (1989) 1013-1018. | |
| | CO2 | Guin, J.-P.; Rouxel, T.; Keryvin, V.; Sangleboeuf, J.-C.; Serre, I.; Lucas, J., Indentation creep of Ge-Se chalcogenide glasses below Tg: elastic recovery and non-Newtonian flow, J. Non-Cryst. Solids 298 (2002) 260-269. | |
| | CP2 | Guin, J.-P.; Rouxel, T.; Sangleboeuf, J.-C.; Melscoet, I.; Lucas, J., Hardness, toughness, and scratchability of germanium-selenium chalcogenide glasses, J. Am. Ceram. Soc. 85 (2002) 1545-52. | |
| | CQ2 | Gupta, Y.P., On electrical switching and memory effects in amorphous chalcogenides, J. Non-Cryst. Sol. 3 (1970) 148-154. | |



PTO/SB/08B (10-01)

Approved for use through 10/31/2002. OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | |
|--|---|--------------------------|------------------------|-----------------|
| Substitute for form 1449B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary) | | Complete If Known | | |
| | | Application Number | 09/921,518 | |
| | | Filing Date | August 1, 2001 | |
| | | First Named Inventor | John T. Moore | |
| | | Group Art Unit | 2818 | |
| | | Examiner Name | Phuc T. Dang | |
| Sheet | 5 | 8 | Attorney Docket Number | M4065.0696/P696 |

| | |
|-----|--|
| CR2 | Haberland, D.R.; Stiegler, H., New experiments on the charge-controlled switching effect in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 408-414. |
| CS2 | Haifz, M.M.; Ibrahim, M.M.; Dongol, M.; Hammad, F.H., Effect of composition on the structure and electrical properties of As-Se-Cu glasses, J. Appl. Phys. 54 (1983) 1950-1954. |
| CT2 | Hajto, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization effects in metal/a-Si:H/metal devices, Int. J. Electronics 73 (1992) 911-913. |
| CU2 | Hajto, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M., DC and AC measurements on metal/a-Si:H/metal room temperature quantised resistance devices, J. Non-Cryst. Solids 266-269 (2000) 1058-1061. |
| CV2 | Hajto, J.; McAuley, B.; Snell, A.J.; Owen, A.E., Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures, J. Non-Cryst. Solids 198-200 (1996) 825-828. |
| CW2 | Hajto, J.; Owen, A.E.; Snell, A.J.; Le Comber, P.G.; Rose, M.J., Analogue memory and ballistic electron effects in metal-amorphous silicon structures, Phil. Mag. B 63 (1991) 349-369. |
| CX2 | Hayashi, T.; Ono, Y.; Fukaya, M.; Kan, H., Polarized memory switching in amorphous Se film, Japan. J. Appl. Phys. 13 (1974) 1163-1164. |
| CY2 | Hegab, N.A.; Fadel, M.; Sedeek, K., Memory switching phenomena in thin films of chalcogenide semiconductors, Vacuum 45 (1994) 459-462. |
| CZ2 | Hirose, Y.; Hirose, H., Polarity-dependent memory switching and behavior of Ag dendrite in Ag-photodoped amorphous As ₂ S ₃ films, J. Appl. Phys. 47 (1976) 2767-2772. |
| CA3 | Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V ₂ amorphous semiconductor systems, J. Non-Cryst. Solids 116 (1990) 191-200. |
| CB3 | Hosokawa, S., Atomic and electronic structures of glassy Ge _x Se _{1-x} around the stiffness threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214. |
| CC3 | Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-Si:H/V thin film devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191. |
| CD3 | Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metal-non-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74 (1996) 37-50. |
| CE3 | Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-induced instability in Cr-p+a-Si:H-V thin film devices, Phil. Mag. B 80 (2000) 29-43. |
| CF3 | Iizima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155. |
| CG3 | Ishikawa, R.; Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in amorphous films of Ge ₂ S ₃ , J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066. |
| CH3 | Iyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142. |
| CI3 | Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin Solid Films 40 (1977) L15-L18. |
| CJ3 | Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As ₂ Se ₇ before switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109. |
| CK3 | Joullie, A.M.; Marucchi, J., Electrical properties of the amorphous alloy As ₂ Se ₅ , Mat. Res. Bull. 8 (1973) 433-442. |
| CL3 | Kaplan, T.; Adler, D., Electrothermal switching in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 538-543. |
| CM3 | Kawaguchi, T.; Maruno, S.; Elliott, S.R., Optical, electrical, and structural properties of amorphous Ag-Ge-S and Ag-Ge-Se films and comparison of photoinduced and thermally induced phenomena of both systems, J. Appl. Phys. 79 (1996) 9096-9104. |
| CN3 | Kawaguchi, T.; Masui, K., Analysis of change in optical transmission spectra resulting from Ag photodoping in chalcogenide film, Jpn. J. Appl. Phys. 26 (1987) 15-21. |



PTO/SB/08B (10-01)


Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

| | | | |
|---|---|--------------------------|-----------------|
| Substitute for form 1449B/PTO | | Complete if Known | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary) | | Application Number | 09/921,518 |
| | | Filing Date | August 1, 2001 |
| | | First Named Inventor | John T. Moore |
| | | Group Art Unit | 2818 |
| | | Examiner Name | Phuc T. Dang |
| | | Attorney Docket Number | M4065.0696/P696 |
| Sheet | 6 | 8 | |

| | |
|-----|--|
| CO3 | Kawasaki, M.; Kawamura, J.; Nakamura, Y.; Aniya, M., Ionic conductivity of Ag _x (GeSe ₃) _{1-x} (0<x<=0.571) glasses, Solid state Ionics 123 (1999) 259-269. |
| CP3 | Kluge, G.; Thomas, A.; Klabes, R.; Grotzschel, R., Silver photodiffusion in amorphous GexSe100-x, J. Non-Cryst. Solids 124 (1990) 186-193. |
| CQ3 | Kolobov, A.V., On the origin of p-type conductivity in amorphous chalcogenides, J. Non-Cryst. Solids 198-200 (1996) 728-731. |
| CR3 | Kolobov, A.V., Lateral diffusion of silver in vitreous chalcogenide films, J. Non-Cryst. Solids 137-138 (1991) 1027-1030. |
| CS3 | Korkinova, Ts.N.; Andreichin, R.E., Chalcogenide glass polarization and the type of contacts, J. Non-Cryst. Solids 194 (1996) 256-259. |
| CT3 | Kotkata, M.F.; Afif, M.A.; Labib, H.H.; Hegab, N.A.; Abdel-Aziz, M.M., Memory switching in amorphous GeSeTe chalcogenide semiconductor films, Thin Solid Films 240 (1994) 143-146. |
| CU3 | Lakshminarayan, K.N.; Srivastava, K.K.; Panwar, O.S.; Dumar, A., Amorphous semiconductor devices: memory and switching mechanism, J. Instn Electronics & Telecom. Engrs 27 (1981) 16-19. |
| CV3 | Lal, M.; Goyal, N., Chemical bond approach to study the memory and threshold switching chalcogenide glasses, Indian Journal of pure & appl. phys. 29 (1991) 303-304. |
| CW3 | Leimer, F.; Stotzel, H.; Kottwitz, A., Isothermal electrical polarisation of amorphous GeSe films with blocking Al contacts influenced by Poole-Frenkel conduction, Phys. Stat. Sol. (a) 29 (1975) K129-K132. |
| CX3 | Leung, W.; Cheung, N.; Neureuther, A.R., Photoinduced diffusion of Ag in GexSe1-x glass, Appl. Phys. Lett. 46 (1985) 543-545. |
| CY3 | Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on Se-SnO ₂ system, Jap. J. Appl. Phys. 11 (1972) 1657-1662. |
| CZ3 | Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on amorphous selenium thin films, Jpn. J. Appl. Phys. 11 (1972) 606. |
| CA4 | Mazurier, F.; Levy, M.; Souquet, J.L, Reversible and irreversible electrical switching in TeO ₂ -V ₂ O ₅ based glasses, Journal de Physique IV 2 (1992) C2-185 - C2-188. |
| CB4 | Messoussi, R.; Bernede, J.C.; Benhida, S.; Abachi, T.; Latef, A., Electrical characterization of M/Se structures (M=Ni,Bi), Mat. Chem. And Phys. 28 (1991) 253-258. |
| CC4 | Mitkova, M.; Boolchand, P., Microscopic origin of the glass forming tendency in chalcogenides and constraint theory, J. Non-Cryst. Solids 240 (1998) 1-21. |
| CD4 | Mitkova, M.; Kozicki, M.N., Silver incorporation in Ge-Se glasses used in programmable metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027. |
| CE4 | Mitkova, M.; Wang, Y.; Boolchand, P., Dual chemical role of Ag as an additive in chalcogenide glasses, Phys. Rev. Lett. 83 (1999) 3848-3851. |
| CF4 | Miyatani, S.-y., Electronic and ionic conduction in (AgxCu _{1-x}) ₂ Se, J. Phys. Soc. Japan 34 (1973) 423-432. |
| CG4 | Miyatani, S.-y., Ionic conduction in beta-Ag ₂ Te and beta-Ag ₂ Se, Journal Phys. Soc. Japan 14 (1959) 996-1002. |
| CH4 | Mott, N.F., Conduction in glasses containing transition metal ions, J. Non-Cryst. Solids 1 (1968) 1-17. |
| CI4 | Nakayama, K.; Kitagawa, T.; Ohmura, M.; Suzuki, M., Nonvolatile memory based on phase transitions in chalcogenide thin films, Jpn. J. Appl. Phys. 32 (1993) 564-569. |
| CJ4 | Nakayama, K.; Kojima, K.; Hayakawa, F.; Imai, Y.; Kitagawa, A.; Suzuki, M., Submicron nonvolatile memory cell based on reversible phase transition in chalcogenide glasses, Jpn. J. Appl. Phys. 39 (2000) 6157-6161. |
| CK4 | Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853. |
| CL4 | Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on electrical switching in chalcog nide network glasses, Phys. R v. B 54 (1996) 4413-4415. |



PTO/SB/08B (10-01)


Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U. S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | |
|---|---|--------------------------|------------------------|-----------------|
| Substitute for form 1449B/PTO | | Complete If Known | | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary) | | Application Number | 09/921,518 | |
| | | Filing Date | August 1, 2001 | |
| | | First Named Inventor | John T. Moore | |
| | | Group Art Unit | 2818 | |
| | | Examiner Name | Phuc T. Dang | |
| Sheet | 7 | 8 | Attorney Docket Number | M4065.0696/P696 |

| | | | |
|--|-----|---|--|
| | CM4 | Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories, IEEE transactions on electron dev. Ed-20 (1973) 195-209. | |
| | CN4 | Ovshinsky S.R.; Fritzsche, H., Reversible structural transformations in amorphous semiconductors for memory and logic, Metallurgical transactions 2 (1971) 641-645. | |
| | CO4 | Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453. | |
| | CP4 | Owen, A.E.; LeComber, P.G.; Sarraayrouse, G.; Spear, W.E., New amorphous-silicon electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54 | |
| | CQ4 | Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362. | |
| | CR4 | Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906. | |
| | CS4 | Pearson, A.D.; Miller, C.E., Filamentary conduction in semiconducting glass diodes, App. Phys. Lett. 14 (1969) 280-282. | |
| | CT4 | Pinto, R.; Ramanathan, K.V., Electric field induced memory switching in thin films of the chalcogenide system Ge-As-Se, Appl. Phys. Lett. 19 (1971) 221-223. | |
| | CU4 | Popescu, C., The effect of local non-uniformities on thermal switching and high field behavior of structures with chalcogenide glasses, Solid-state electronics 18 (1975) 671-681. | |
| | CV4 | Popescu, C.; Croitoru, N., The contribution of the lateral thermal instability to the switching phenomenon, J. Non-Cryst. Solids 8-10 (1972) 531-537. | |
| | CW4 | Popov, A.I.; Geller, I.KH.; Shemetova, V.K., Memory and threshold switching effects in amorphous selenium, Phys. Stat. Sol. (a) 44 (1977) K71-K73. | |
| | CX4 | Prakash, S.; Asokan, S.; Ghare, D.B., Easily reversible memory switching in Ge-As-Te glasses, J. Phys. D: Appl. Phys. 29 (1996) 2004-2008. | |
| | CY4 | Rahman, S.; Sivarama Sastry, G., Electronic switching in Ge-Bi-Se-Te glasses, Mat. Sci. and Eng. B12 (1992) 219-222. | |
| | CA5 | Ramesh, K.; Asokan, S.; Sangunni, K.S.; Gopal, E.S.R., Electrical Switching in germanium telluride glasses doped with Cu and Ag, Appl. Phys. A 69 (1999) 421-425. | |
| | CB5 | Rose, M.J.; Hajto, J.; Lecomber, P.G.; Gage, S.M.; Choi, W.K.; Snell, A.J.; Owen, A.E., Amorphous silicon analogue memory devices, J. Non-Cryst. Solids 115 (1989) 168-170. | |
| | CC5 | Rose, M.J.; Snell, A.J.; Lecomber, P.G.; Hajto, J.; Fitzgerald, A.G.; Owen, A.E., Aspects of non-volatility in a -Si:H memory devices, Mat. Res. Soc. Symp. Proc. V 258, 1992, 1075-1080. | |
| | CD5 | Schuoocker, D.; Rieder, G., On the reliability of amorphous chalcogenide switching devices, J. Non-Cryst. Solids 29 (1978) 397-407. | |
| | CE5 | Sharma, A.K.; Singh, B., Electrical conductivity measurements of evaporated selenium films in vacuum, Proc. Indian Natn. Sci. Acad. 46, A, (1980) 362-368. | |
| | CF5 | Sharma, P., Structural, electrical and optical properties of silver selenide films, Ind. J. Of pure and applied phys. 35 (1997) 424-427. | |
| | CG5 | Snell, A.J.; Lecomber, P.G.; Hajto, J.; Rose, M.J.; Owen, A.E.; Osborne, I.L., Analogue memory effects in metal/a-Si:H/metal memory devices, J. Non-Cryst. Solids 137-138 (1991) 1257-1262. | |
| | CH5 | Snell, A.J.; Hajto, J.; Rose, M.J.; Osborne, L.S.; Holmes, A.; Owen, A.E.; Gibson, R.A.G., Analogue memory effects in metal/a-Si:H/metal thin film structures, Mat. Res. Soc. Symp. Proc. V 297, 1993, 1017-1021. | |
| | CI5 | Stevenson, A.G., Microfilaments in amorphous chalcogenide memory devices, J. Phys. D: Appl. Phys. 8 (1975) L120-L122. | |
| | CJ5 | Stevenson, A.G., The switching mechanisms in amorphous chalcogenide memory devices, J. Non-Cryst. Solids 21 (1976) 319-329. | |
| | CK5 | Stocker, H.J., Bulk and thin film switching and memory effects in semiconducting chalcogenide glasses, App. Phys. L tt. 15 (1969) 55-57. | |
| | CL5 | Tanaka, K., Ionic and mixed conduction in Ag photodoping process, Mod. Phys. Lett B 4 | |



PTO/SB/08B (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

| | | | | | |
|---|---|-------------------------|----------------|------------------------|-----------------|
| Substitute for form 1449B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary) | | Compl t If Kn wn | | | |
| | | Application Number | 09/921,518 | | |
| | | Filing Date | August 1, 2001 | | |
| | | First Named Inventor | John T. Moore | | |
| | | Group Art Unit | 2818 | | |
| | | Examiner Name | Phuc T. Dang | | |
| Sheet | 8 | | 8 | Attorney Docket Number | M4065.0696/P696 |

| | | | |
|--|-----|--|--|
| | | (1990) 1373-1377. | |
| | CM5 | Tanaka, K.; Iizima, S.; Sugi, M.; Okada, Y.; Kikuchi, M., Thermal effects on switching phenomenon in chalcogenide amorphous semiconductors, Solid State Comm. 8 (1970) 387-389. | |
| | CN5 | Thornburg, D.D., Memory switching in a Type I amorphous chalcogenide, J. Elect. Mat. 2 (1973) 3-15. | |
| | CO5 | Thornburg, D.D., Memory switching in amorphous arsenic triselenide, J. Non-Cryst. Solids 11 (1972) 113-120. | |
| | CP5 | Thornburg, D.D.; White, R.M., Electric field enhanced phase separation and memory switching in amorphous arsenic triselenide, Journal(?) (1972) 4609-4612. | |
| | CQ5 | Tichy, L.; Ticha, H., Remark on the glass-forming ability in GexSe1-x and AsxSe1-x systems, J. Non-Cryst. Solids 261 (2000) 277-281. | |
| | CR5 | Titus, S.S.K.; Chatterjee, R.; Asokan, S., Electrical switching and short-range order in As-Te glasses, Phys. Rev. B 48 (1993) 14650-14652. | |
| | CS5 | Tranchant, S.; Peytavin, S.; Ribes, M.; Flank, A.M.; Dexpert, H.; Lagarde, J.P., Silver chalcogenide glasses Ag-Ge-Se: Ionic conduction and exafs structural investigation, Transport-structure relations in fast ion and mixed conductors Proceedings of the 6th Riso International symposium. 9-13 September 1985. | |
| | CT5 | Tregouet, Y.; Bernede, J.C., Silver movements in Ag2Te thin films: switching and memory effects, Thin Solid Films 57 (1979) 49-54. | |
| | CU5 | Uemura, O.; Kameda, Y.; Kokai, S.; Satow, T., Thermally induced crystallization of amorphous Ge0.4Se0.6, J. Non-Cryst. Solids 117-118 (1990) 219-221. | |
| | CV5 | Uttecht, R.; Stevenson, H.; Sie, C.H.; Griener, J.D.; Raghavan, K.S., Electric field induced filament formation in As-Te-Ge glass, J. Non-Cryst. Solids 2 (1970) 358-370. | |
| | CD5 | Viger, C.; Lefrancois, G.; Fleury, G., Anomalous behaviour of amorphous selenium films, J. Non-Cryst. Solids 33 (1976) 267-272. | |
| | CX5 | Vodenicharov, C.; Parvanov, S.; Petkov, P., Electrode-limited currents in the thin-film M-GeSe-M system, Mat. Chem. And Phys. 21 (1989) 447-454. | |
| | CY5 | Wang, S.-J.; Misium, G.R.; Camp, J.C.; Chen, K.-L.; Tigelaar, H.L., High-performance Metal/silicide antifuse, IEEE electron dev. Lett. 13 (1992) 471-472. | |
| | CZ5 | Weirauch, D.F., Threshold switching and thermal filaments in amorphous semiconductors, App. Phys. Lett. 16 (1970) 72-73. | |
| | CA6 | West, W.C.; Sieradzki, K.; Kardynal, B.; Kozicki, M.N., Equivalent circuit modeling of the Ag As0.24S0.36Ag0.40 Ag System prepared by photodissolution of Ag, J. Electrochem. Soc. 145 (1998) 2971-2974 | |
| | CB6 | Zhang, M.; Mancini, S.; Bresser, W.; Boolchand, P., Variation of glass transition temperature, Tg, with average coordination number, <m>, in network glasses: evidence of a threshold behavior in the slope dTg/d<m> at the rigidity percolation threshold (<m>=2.4), J. Non-Cryst. Solids 151 (1992) 149-154. | |

| | | | |
|--------------------|--|-----------------|--|
| Examiner Signature | | Date Considered | |
|--------------------|--|-----------------|--|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.